

[Quick Program/Wire guide]

email: be.seen@hotmail.com

skype: pablochen.1996

Thank you very much for placing an order. If you have any questions or concerns, ***please refrain from returning our products directly, as it would result in significant losses for us.***

We take pride in delivering **high-quality products and excellent service support**. By **giving us the opportunity to assist you**, we can add substantial value to your project and help you save significantly.


CREATE SECURITY FOR YOU

Contents


1. Wire Diagram	2
1.1 Wire for Magnetic Lock	2
1.2 Wire for Door Bell	2
1.3 Wire for Strike Lock	3
2. Program Instruction	3
2.1 Enroll Face	4
2.2 Enroll Card/Fob	4
2.3 Enroll PIN Code	4
3. FAQ Questions/ Answers	5

1. Wire Diagram


1.1 Wire for Magnetic Lock



1.2 Wire for Door Bell




1.3 Wire for Strike Lock



2. Program Instruction

Use your finger, touch the screen, a menu bar will pop up at the bottom side of the screen, click:  to enter menu.



2.1 Enroll Face

- Touch the screen,click the set icon,
 - Press the first one "**User Mgt**",
 - Press the "**Add user**",
 - Input **Name** and **Dept**,
then press "**Add user**"
 - Or press "**Add user**" directly
 - Press the first one "**Face**",
 - then look at the camera,Press "**Enroll**"
 - After success, press "**BACK**" to quit.
- Now**, look at the camera, can open lock.

2.2 Enroll Card/Fob

- Touch the screen,click the set icon,
 - Press the first one "**User Mgt**",
 - Press the "**Add User**",
 - Input **Name** and **Dept**,
then press "**Add User**"
 - Or press "**Add User**" directly
 - Press the "**Card**",then take a card or key fob, swipe on the keypad area.
 - Then press "**OK**",press "**BACK**" to quit.
- Now**, Swipe card or Key Fob, can open lock.

2.3 Enroll PIN Code

- Touch the screen,click the set icon,
 - Press the first one "**User Mgt**",
 - Press the "**Add user**",
 - Input **Name** and **Dept**,
then press "**Add user**"
 - Or press "**Add user**" directly
 - Press the "**PWD**",then input the password,Press "**OK**",input password again,"**OK**" again
 - After success, press "**BACK**" to quit.
- Now**, In put user ID,then password, can open lock.

3. FAQ Questions/ Answers

1. **Only Manager** can enter menu, prevent others enter menu:

[Answer] After you register user, enter menu, select **User Mgt**, then **User view**, select the user, Change **Privilege** role as “**Admin**”, then when enter menu, need to verify manager/admin. Others can’ t enter.

2. **Magnet lock force is weak.** **[Answer]** This is adjustable. Armature plate **installed too tight will lead to the lock weak force**. Recommend **loosen armature plate screw**, even it can swing a little.

3. **Want the door open time Longer .**

[Answer] Please kindly adjust as the below picture.

